

# EXTENSIVE COMPETITIVE CROSSOVER



vs.

# HAWS

Document Released 11/28/07

HAWS MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
H-7000B	Wall mounted Omniflo eye/face wash, plastic bowl	BE	S0420
H-7000BT	Wall mounted Omniflo eye/face wash, plastic bowl, P-trap	BE	S0420-PT1
H-7000BTWC	Wall mounted Omniflo eye/face wash, plastic bowl, P-trap, barrier free	BE	S0420-BF-PT1
H-7001	Pedestal mounted Omniflo eye/face wash, plastic bowl, hand/foot control	BE	S0320-HFC
H-7260B	Wall mounted eyewash, plastic bowl	EQ	S0410
H-7260BT	Wall mounted eyewash, plastic bowl, P-trap	EQ	S0410-PT1
H-7261	Pedestal mounted eyewash, plastic bowl	EQ	S0310
H-7270B	Wall mounted eye/face wash, plastic bowl	EQ	S0420
H-7270BT	Wall mounted eye/face wash, plastic bowl, P-trap	EQ	S0420-PT1
H-7271	Pedestal mounted eye/face wash, plastic bowl	EQ	S0320
H-7301DM	Deck mounted eye/face wash, stainless steel bowl, push down valve	EQ	S0740-PDV
H-7324	Wall mounted eye/face wash, no bowl	EQ	S0460
H-7360B	Wall mounted eye/face wash, stainless steel bowl	EQ	S0440
H-7360B/9102	Wall mounted eye/face wash, stainless steel bowl, stainless steel dust cover	EQ	S0440-CS1
H-7360BT	Wall mounted eye/face wash, stainless steel bowl, P-trap	EQ	S0440-PT1
H-7360BTWC	Wall mounted eye/face wash, stainless steel bowl, P-trap, barrier free	EQ	S0440-BF-PT1
H-7361	Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control	EQ	S0340-HFC
H-7433FP	Freeze resistant eyewash, stainless steel bowl, thru wall activation	EQ	S0430-FRV
H-7460B	Wall mounted eyewash, stainless steel bowl	EQ	S0430
H-7460BT	Wall mounted eyewash, stainless steel bowl, P-trap	EQ	S0430-PT1
H-7460BT/9102	Wall mounted eyewash, stainless steel bowl, stainless steel dust cover	EQ	S0430-CS1
H-7461	Pedestal mounted eyewash, stainless steel bowl, hand/foot control	EQ	S0330-HFC
H-7500	Portable gravity feed eyewash 16 gal	P2	S0P50
H-7501	Portable gravity feed eyewash 9 gal	P2	S0P50
H-7601.10.2	Eyewash, 10 gal.pressurized SS tank, ASME rated	P2	10gal SS ASME EW
H-7601.37	Eyewash, 37 gal.pressurized SS tank, ASME rated	NE	37gal. SS EW
H-7602.10	Eyewash, 10 gal.pressurized SS tank	P2	10gal SS EW
H-7602.10TW	Eyewash, 10 gal.pressurized SS tank, heated	P2	10gal SS EW heated
H-7602.15	Eyewash, 15 gal.pressurized SS tank	P2	15gal SS EW
H-7610	Deck mounted eye/face wash, swing down, right hand mount	EQ	S0860-RH
H-7610WC	Deck mounted eye/face wash, swing down, right hand mount, barrier free	EQ	S0860-RH
H-7611	Deck mounted eye/face wash, swivel activated, right hand mount	EQ	S0960-RH

## LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;  
 P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

Acorn Safety vs. Haws

# EXTENSIVE COMPETITIVE CROSSOVER



vs.

# HAWS

Document Released 11/28/07

HAWS MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
H-7612	Deck mounted eyewash, swivel w/1/2" valve & push flag, right hand mount	EQ	S0A50-RH
H-7612LH	Deck mounted eyewash, swivel w/1/2" valve & push flag, left hand mount	EQ	S0A50-LH
H-7650	Deck mounted eye/face wash, swing down, right hand mount	EQ	S0860-RH
H-7651	Wall mounted eye/face wash, swing down	EQ	S0660-RH
H-7655WC	Wall mounted, recessed eye/face wash, swing down, barrier free	EQ	S0560
H-7656WC	Wall mounted, recessed eye/face wash, swing down, drain pan, barrier free	EQ	S0560-PAN
H-7720	Pedestal mounted eye/face wash w/face ring, stainless steel bowl, hand/foot control	BE	S0340-HFC
H-7721	Pedestal mounted eye/face wash w/face ring, stainless steel bowl	BE	S0340
H-7752WC	Wall mounted eye/face wash, shrouded stainless steel bowl, barrier free	EQ	S0480-BF
H-7760B	Wall mounted eye/face wash w/face ring, stainless steel bowl	BE	S0440
H-7760BT	Wall mounted eye/face wash w/face ring, stainless steel bowl, P-trap	BE	S0440-PT1
H-7763	Pedestal mounted eye/face wash w/face ring, stainless steel bowl, drench hose, hand/foot control	BE	S0342-HFC
H-7777	Pedestal mounted eye/face wash w/face ring, all stainless steel, hand/foot control	BE	S0340-AS-HFC
H-7778B	Wall mounted eye/face wash w/face ring, all stainless steel	BE	S0440-AS
H-8100	Pedestal drench shower, plastic head	EQ	S1300
H-8111FP	Freeze resistant, horizontal drench shower, plastic head, thru wall activation	EQ	S1200-FRV
H-8122H	Horizontal drench shower, plastic head	EQ	S1200
H-8122HWC	Horizontal drench shower, plastic head, barrier free	EQ	S1200-PR60
H-8122V	Vertical Drench shower, plastic head	EQ	S1100
H-8123H	Horizontal drench shower, stainless steel head	EQ	S2200
H-8123HPCP	Horizontal drench shower, stainless steel head, polish chrome plated	EQ	S2200-PCP
H-8123V	Vertical Drench shower, stainless steel head	EQ	S2100
H-8130H	Vertical Drench shower, plastic head, PVC	P2	S1100-PVC-SV1
H-8130V	Horizontal drench shower, plastic head, PVC	P2	S1200-PVC-SV1
H-8133H	Horizontal drench shower, all stainless steel	EQ	S2200-AS
H-8133V	Vertical Drench shower, all stainless steel	EQ	S2100-AS
H-8163	Horizontal drench shower, stainless steel head, barrier free	EQ	S2200-PE27-PR63
H-8164	Horizontal drench shower, recessed stainless steel head, recessed activation	EQ	S3200-RA
H-8165	Horizontal drench shower, stainless steel head, recessed activation	EQ	S2200-RA
H-8169	Horizontal drench shower, recessed stainless steel head,	EQ	S3200
H-8200	Combination shower & Omniflo eye/face wash, plastic head & bowl, hand/foot control	BE	S1320-HFC

**LEGEND**

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;  
 P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

# EXTENSIVE COMPETITIVE CROSSOVER



vs.

# HAWS

Document Released 11/28/07

HAWS MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
H-8200WC	Combination shower & Omniflo eye/face wash, plastic head & bowl, barrier free	BE	S1320-BF
H-8300	Combination shower & eyewash, plastic head, stainless steel bowl, hand/foot control	EQ	S1330-HFC
H-8300.158	Combination shower & eyewash, plastic head, stainless steel bowl, scald protection valve	EQ	S1330-FPV
H-8300FP	Frost proof shower & eyewash, plastic head, stainless steel bowl,w/bury valve	EQ	S1330-FPB; specify bury depth
H-8309	Combination shower & eye/face wash, plastic head, stainless steel bowl, hand/foot control	EQ	S1340-HFC
H-8309PCP	Combination shower & eye/face wash, stainless steel head & bowl, hand/foot control, polish chrome plated	EQ	S2340-HFC-PCP
H-8309WC	Combination shower & eye/face wash, plastic head, stainless steel bowl, barrier free	EQ	S1340-BF
H-8317	Combination shower & eye/face wash, plastic head, no bowl	EQ	S1360
H-8317CTFP	Freeze resistant shower & eye/face wash, heat traced, C1D2, freeze protection valve, top supply	EQ	S1360-HT-TSI-FPV
H-8317CTFP	Freeze resistant shower & eye/face wash, heat traced, C1D2, freeze protection valve, bottom supply	EQ	S1360-HT-BSI-FPV
H-8320	Combination shower & eyewash, plastic head & bowl,	EQ	S1310
H-8325	Combination shower & eye/face wash, plastic head & bowl	EQ	S1320
H-8330	Combination shower & eye/face wash w/face ring, all stainless steel, hand/foot control	EQ	S2340-AS-HFC
H-8330FP	Frost proof shower & eye/face wash w/face ring, all stainless steel, w/bury valve	EQ	S2340-AS-FPB
H-8336	Combination shower & eyewash, plastic head & bowl, PVC	P2	S1320-PVC
H-8346	Combination shower & eye/face wash w/face ring, plastic head, stainless steel bowl, hand/foot control	BE	S1340-HFC
H-8356WC	Combination shower & Omniflo eye/face wash, stainless steel head, drain pan, recessed activation	BE	S2260-PAN-RA
H-8605WC	Combination shower & eye/face wash, fiberglass shower enclosure	P2	fiber glass shower enclosure
H-8901B	Drench hose, wall mounted, single head stay open	EQ	S0402
H-8903	Drench hose, deck mounted, single head stay open	EQ	S0702
H-8904	Drench hose, deck mounted, two head eyewash, stay open	EQ	S0706
H-8905	Drench hose, wall mounted, two head eyewash, stay open, 12' coiled hose	EQ	S0406-CH12
H-8908	Drench hose, wall mounted, single head stay open, 12' coiled hose	EQ	S0402-CH12
H-9201	25GPM thermostatic mixing valve	EQ	S0000-TMV1
H-9202	60GPM thermostatic mixing valve	EQ	S0000-TMV2

## LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;  
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

Acorn Safety vs. Haws

3 of 4

# EXTENSIVE COMPETITIVE CROSSOVER



vs.

# HAWS

Document Released 11/28/07

HAWS MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
TWBS.EW	5GPM tempered water mixing system with external bypass	EQ	S0000-TMB1
TWBS.SH	35GPM tempered water mixing system with external bypass	EQ	S0000-TMB2

## LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;  
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote