

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-220	Vertical drench shower, plastic head	EQ	S1100
SE-220-ADA	Vertical drench shower, plastic head, barrier free	EQ	S1100-PR60
SE-220-SS	Vertical drench shower, all stainless steel	EQ	S2100-AS
SE-220SSH	Vertical drench shower, stainless steel head	EQ	S2100
SE-227	Horizontal drench shower, plastic head	EQ	S1200
SE-227-SS	Horizontal drench shower, all stainless steel	EQ	S2200-AS
SE-227SSH	Horizontal drench shower, stainless steel head	EQ	S2200
SE-236	Horizontal drench shower, recessed stainless steel head, pull chain	EQ	S3200
SE-236-PR	Horizontal drench shower, recessed stainless steel head, pull rod	EQ	S3200
SE-237	Horizontal drench shower, recessed stainless steel head, recessed activation	EQ	S3200-RA
SE-238	Vertical drench shower, stainless steel head, recessed activation	EQ	S2100-PE21-RA
SE-242	Freeze resistant, horizontal drench shower, plastic head, thru wall activation	EQ	S1200-FRV
SE-253	Pedestal drench shower, plastic head	EQ	S1300
SE-253-SS	Pedestal drench shower, all stainless steel	EQ	S2300-AS
SE-260	Frost proof drench shower, plastic head w/bury valve	EQ	S1300-FPB; specify bury depth
SE-340	Decontamination, walk through drench shower	P2	
SE-350	Multiple shower thermostatic mixing valve	EQ	S0000-TMV3
SE-362	Single shower thermostatic mixing valve	EQ	S0000-TMV2
SE-370	Eye wash or eye/face wash thermostatic mixing valve	EQ	S0000-TMV1
SE-4000	Portable gravity feed eyewash	P2	S0P50
SE-400	Wall mounted eye/face wash w/ 6 nozzles, stainless steel bowl	BE	S0440
SE-400-ADA	Wall mounted eye/face wash w/ 6 nozzles, stainless steel bowl, barrier free	BE	S0440-BF
SE-401	Wall mounted eye/face wash w/ 6 nozzles, plastic bowl	BE	S0420
SE-403	Freeze resistant, wall mounted eye/face wash w/ 6 nozzles, stainless steel bowl, thru wall activation	BE	S0440-FRV
SE-404	Freeze resistant, wall mounted eye/face wash w/ 6 nozzles, plastic bowl, thru wall activation	BE	S0420-FRV
SE-420	Pedestal eye/face wash w/6 nozzles, stainless steel bowl	BE	S0340
SE-421	Pedestal eye/face wash w/6 nozzles, plastic bowl	BE	S0320
SE-430	Pedestal eye/face wash w/6 nozzles, stainless steel bowl, drench hose	BE	S0341
SE-440	Frost proof pedestal eye/face wash w/6 nozzles, stainless steel bowl w/bury valve	BE	S0340-FPB; specify bury depth
SE-441	Frost proof pedestal eye/face wash w/6 nozzles, plastic bowl w/bury valve	BE	S0320-FPB; specify bury depth

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-460	Deck mounted eye/face wash w/6 nozzles, stainless steel bowl, push down valve	BE	S0740-PDV
SE-4700	portable cartridge feed eyewash	NE	
SE-480	Pedestal eye/face wash w/6 nozzles, stainless steel bowl, hand/foot control	BE	S0340-HFC
SE-490	Wall mounted eye/face wash, stainless steel bowl	EQ	S0440
SE-490-ADA	Wall mounted eye/face wash, stainless steel bowl, barrier free	EQ	S0440-BF
SE-490-CV	Wall mounted eye/face wash, stainless steel bowl, stainless steel dust cover	EQ	S0440-CS1
SE-490-PT	Wall mounted eye/face wash, stainless steel bowl, P-trap	EQ	S0440-PT1
SE-490-SS	Wall mounted eye/face wash, all stainless steel	EQ	S0440-AS
SE-491	Pedestal mounted eye/face wash, stainless steel bowl	EQ	S0340
SE-491-CV	Pedestal mounted eye/face wash, stainless steel bowl, stainless steel dust cover	EQ	S0340-CS1
SE-491-HFO	Pedestal mounted eye/face wash, stainless steel bowl, hand/foot control	EQ	S0340-HFC
SE-491-SS	Pedestal mounted eye/face wash, all stainless steel	EQ	S0340-AS
SE-495	Wall mounted eye/face wash, plastic bowl	EQ	S0420
SE-495-PT	Wall mounted eye/face wash, plastic bowl, P-trap	EQ	S0420-PT1
SE-496	Pedestal mounted eye/face wash, plastic bowl	EQ	S0320
SE-505	Wall mounted eyewash, stainless steel bowl	EQ	S0430
SE-506	Wall mounted eyewash, plastic bowl	EQ	S0410
SE-515	Wall mounted eyewash, stainless steel bowl, hand/foot control	Special	Contact Acorn CS
SE-535	Pedestal eyewash, stainless steel bowl, drench hose	EQ	S0331
SE-536	Pedestal eyewash, plastic bowl, drench hose	EQ	S0311
SE-544	Pedestal eyewash, plastic bowl	EQ	S0310
SE-545	Pedestal eyewash, stainless steel bowl	EQ	S0330
SE-546	Pedestal eyewash, stainless steel bowl, hand/foot control	EQ	S0330-HFC
SE-555	Frost proof pedestal eyewash, stainless steel bowl w/bury valve	EQ	S0330-FPB; specify bury depth
SE-556	Frost proof pedestal eyewash, plastic bowl w/bury valve	EQ	S0310-FPB; Specify bury depth
SE-565	Deck mounted eyewash, stainless steel bowl, push down valve	EQ	S0730-PDV
SE-568	Wall mounted eyewash, shrouded stainless steel bowl, barrier free	EQ	S0470-BF
SE-570	Deck mounted eyewash, swivel activation, right hand mount	EQ	S0950-RH
SE-570-LH	Deck mounted eyewash, swivel activation, left hand mount	EQ	S0950-LH
SE-571	Deck mounted eyewash, swivel w/1/2" valve & push flag	EQ	S0A50-RH

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

Acorn Safety vs. Speakman

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-572	Deck mounted eyewash, 90° swivel w/1/2" valve & push flag, right hand mount	EQ	S0A50-RH
SE-572-LH	Deck mounted eyewash, 90° swivel w/1/2" valve & push flag, left hand mount	EQ	S0A50-LH
SE-575	Wall mounted eyewash, no bowl	EQ	S0450
SE-575-SD-ADA	Wall mounted, recessed eyewash, barrier free	EQ	S0550
SE-575-SD-ADA -DP	Wall mounted, recessed eyewash w/drain pan, barrier free	EQ	S0550-PAN
SE-577-SD	Wall mounted, swing down eyewash	EQ	S0650-RH
SE-579-SD	Deck mounted, swing down eyewash	EQ	S0850-RH
SE-580	Wall mounted eyewash, plastic bowl	EQ	S0410
SE-580-ADA	Wall mounted eyewash, plastic bowl, barrier free	EQ	S0410-BF
SE-580-PT	Wall mounted eyewash, plastic bowl, P-trap	EQ	S0410-PT1
SE-582	Wall mounted eyewash, stainless steel bowl	EQ	S0430
SE-582-ADA	Wall mounted eyewash, stainless steel bowl, barrier free	EQ	S0430-BF
SE-582-PT	Wall mounted eyewash, stainless steel bowl, P-trap	EQ	S0430-PT1
SE-583	Pedestal mounted eyewash, plastic bowl	EQ	S0310
SE-583-HFO	Pedestal mounted eyewash, plastic bowl, hand/foot control	EQ	S0310-HFC
SE-584	Pedestal mounted eyewash, stainless steel bowl	EQ	S0330
SE-584-HFO	Pedestal mounted eyewash, stainless steel bowl, hand/foot control	EQ	S0330-HFC
SE-590	Eyewash, 10 gal. pressurized stainless steel tank	P2	10gal SS EW/DH
SE-591	Eyewash, 15 gal. pressurized stainless steel tank	P2	10gal SS EW
SE-601	Combination shower w/self -closing valve, 6 nozzle eye/face wash, stainless steel bowl	ALT	S1340
SE-602	Combination shower w/self -closing valve, 6 nozzle eye/face wash, plastic bowl	ALT	S1320
SE-603	Combination shower & 6 nozzle eye/face wash, stainless steel bowl	BE	S1340
SE-603-ADA	Combination shower & 6 nozzle eye/face wash, stainless steel bowl, barrier free	BE	S1340-BF
SE-604	Combination shower & 6 nozzle eye/face wash, plastic bowl	BE	S1320
SE-605	Combination shower w/self -closing valve, 6 nozzle eye/face wash, stainless steel bowl, hand/foot control	ALT	S1340-HFC
SE-607	Combination shower & 6 nozzle eye/face wash, stainless steel bowl, hand/foot control	BE	S1340-HFC
SE-609	Combination shower & 6 nozzle eye/face wash, stainless steel bowl w/bury valve	BE	S1340-FPB; specify bury depth
SE-610	Combination shower w/self -closing valve, eyewash, stainless steel bowl, hand/foot control	BE	S1330-HFC
SE-6100	Freeze resistant shower & eye/face wash, heat traced, below ground supply	BE	S1360-HT-BSI

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-6100-C1D2	Freeze resistant shower & eye/face wash, heat traced, below ground supply, C1D2	BE	S1360-HT-BSI
SE-6110	Freeze resistant shower & eye/face wash, heat traced, below ground supply, area light	BE	S1360-HT-BSI-LGT1
SE-6110-C1D2	Freeze resistant shower & eye/face wash, heat traced, below ground supply, C1D2, area light	BE	S1360-HT-BSI-C1D2-LGT1
SE-612	Combination shower & eyewash, plastic head, stainless steel bowl, hand/foot control	EQ	S1330-HFC
SE-614	Combination shower w/self-closing valve, eyewash, plastic head, stainless steel bowl	ALT	S1330
SE-615	Combination shower w/self-closing valve, eyewash, plastic head, plastic bowl	ALT	S1310
SE-616	Combination shower & eyewash, plastic head, stainless steel bowl	EQ	S1330
SE-617	Combination shower & eyewash, plastic head, plastic bowl	EQ	S1310
SE-618	Combination shower & eyewash, plastic head, stainless steel bowl w/bury valve	EQ	S1330-FPB; specify bury depth
SE619	Combination shower & eyewash, plastic head, plastic bowl w/bury valve	EQ	S1310-FPB; specify bury depth
SE-621	Combination shower & 6 nozzle eye/face wash, stainless steel head, plastic bowl	BE	S2320-AS
SE-622	Combination shower & eyewash, all stainless steel except spray heads	EQ	S2330-AS
SE-623	Combination shower & 6 nozzle eye/face wash, all stainless steel except spray heads	BE	S2340-AS
SE-624	Combination shower & eyewash, stainless steel head, plastic bowl	EQ	S2310-AS
SE-625	Combination shower & eye/face wash, stainless steel head, stainless steel bowl	EQ	S2340
SE-625-SS	Combination shower & eye/face wash, all stainless steel except spray heads	EQ	S2340-AS
SE-625-SS-ADA	Combination shower & eye/face wash, all stainless steel except spray heads, barrier free	EQ	S2340-AS-BF
SE-625-SS-HFO	Combination shower & eye/face wash, all stainless steel except spray heads, hand/foot control	EQ	S2340-AS-HFC
SE-626	Combination shower & eyewash, all stainless steel except spray heads	EQ	S2330-AS
SE-626-HFO	Combination shower & eyewash, all stainless steel except spray heads, hand/foot control	EQ	S2330-AS-HFC
SE-627	Combination shower & eye/face wash, stainless steel head, plastic bowl	EQ	S2320-AS
SE-628	Combination shower & eyewash, stainless steel head, plastic bowl	EQ	S2310-AS
SE-6400	Freeze resistant shower & eye/face wash, heat traced, wall mount	EQ	S1360-HT-WSI
SE-6400-C1D2	Freeze resistant shower & eye/face wash, heat traced, wall mount, C1D2	EQ	S1360-HT-WSI
SE-6410	Freeze resistant shower & eye/face wash, heat traced, wall mount, area light	EQ	S1360-HT-LGT1-WSI
SE-6410-C1D2	Freeze resistant shower & eye/face wash, heat traced, wall mount, area light, C1D2	EQ	S1360-HT-LGT1-C1D2-WSI

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-675	Combination shower & eye/face wash, plastic head, no bowl	EQ	S1360
SE-690	Combination shower & eye/face wash, plastic head, stainless steel bowl	EQ	S1340
SE-690	Combination shower & eye/face wash, plastic head, stainless steel bowl, hand/foot control	EQ	S1340-HFC
SE-690-ADA	Combination shower & eye/face wash, plastic head, stainless steel bowl, barrier free	EQ	S1340-BF
SE-690-CV	Combination shower & eye/face wash, plastic head, stainless steel bowl, stainless steel dust cover	EQ	S1340-CS1
SE-690-PVC	Combination shower & eye/face wash, plastic head & bowl, PVC construction	P2	S1320-PVC
SE-691	Combination shower w/self-closing valve, eyeface wash, plastic head, stainless steel bowl	ALT	S1340
SE-693	Combination shower & eyewash, plastic head, stainless steel bowl	EQ	S1330
SE-693-ADA	Combination shower & eyewash, plastic head, stainless steel bowl, barrier free	EQ	S1330-BF
SE-693-HFO	Combination shower & eyewash, plastic head, stainless steel bowl, hand/foot control	EQ	S1330-HFC
SE-694	Combination shower w/self-closing valve, eye/face wash, plastic head, stainless steel bowl	ALT	S1340
SE-695	Combination shower & eye/face wash, plastic head, plastic bowl	EQ	S1320
SE-695	Combination shower & eye/face wash, plastic head, plastic bowl, barrier free	EQ	S1320-BF
SE-695-HFO	Combination shower & eye/face wash, plastic head, plastic bowl, hand/foot control	EQ	S1320-HFC
SE-696	Combination shower w/self-closing valve, eyeface wash, plastic head, plastic bowl	ALT	S1320
SE-697	Combination shower & eyewash, plastic head, plastic bowl	EQ	S1310
SE-697-ADA	Combination shower & eyewash, plastic head, plastic bowl, barrier free	EQ	S1310-BF
SE-697-HFO	Combination shower & eyewash, plastic head, plastic bowl, hand/foot control	EQ	S1310-HFC
SE-698	Combination shower w/self-closing valve, eyewash, plastic head, stainless steel bowl	ALT	S1330
SE-7000	Freeze resistant combination shower & eye/face wash, heat traced, bottom supply, C1D2	EQ	S1360-HT-BSI
SE-7000-220V-50-60	Freeze resistant combination shower & eye/face wash, heat traced, bottom supply, C1D2, 220V	BE	S1360-HT-BSI-240V
SE-7000-C1D1	Freeze resistant combination shower & eye/face wash, heat traced, bottom supply, C1D1	EQ	S1360-HT-C1D1-BS1
SE-700	Deck mounted drench shower, lever activated	SPECIAL	Contact Acorn CS
SE-701	Deck mounted drench shower, lever activated, drench hose, polish chrome plated	SPECIAL	Contact Acorn CS
SE-920	Wall mounted drench hose, single head, self-closing	EQ	S0401

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote

Acorn Safety vs. Speakman

5 of 6

EXTENSIVE COMPETITIVE CROSSOVER



vs.

SPEAKMAN

Document Released 11/28/07

SPEAKMAN MODEL	DESCRIPTION	COMPARISON	ACORN SAFETY MODEL
SE-921	Deck mounted drench hose, single head, self-closing	EQ	S0701
SE-922	Deck mounted drench hose, single head, stay open	EQ	S0702
SE-924	Wall mounted drench hose, single head, stay open	EQ	S0402
SE-925	Wall mounted drench hose, single head, stay open, 12' coiled hose	EQ	S0402-CH12
SE-925-TEW	Wall mounted drench hose, two head eyewash, stay open, 12' coiled hose	EQ	S0406-CH12
SE-927	Deck mounted drench hose, two head eyewash, stay open	EQ	S0706

LEGEND

EQ = Equal; BE = Best Equal; ALT = Alternate; NE = No Equal ;
 P2 = Phase 2; SPECIAL = Contact Acorn Safety for Special Quote